

Work Order ID 133052

Monday, May 25, 2015 10:19:43 AM

133052

Page 1

Item ID: D3574-2

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Cabin Floor Protector

Start Date: 5/25/2015 Start Qty: 2.00

2

Cust Item ID:

Required Date: 5/25/2015 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals:

Process Plan: MLJ

Date: MAY 25 2015

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3574

Rev B

100

0.00

100

FLOW WATER JET

Waterjet

Memo

0.00

FLOW CNC Waterjet

1-Cut as per Dwg D3574

Dwg Rev: B

Prog Rev: B

2-Deburr

(2)

05/25/2015

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.00

Quality Control

(2)

05/25/2015

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation		Disposition			
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
		OTHER : ☐			

Work Order ID 133052

Monday, May 25, 2015 10:19:43 AM

133052

Page 2

Item ID: D3574-2 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Cabin Floor Protector
 Start Date: 5/25/2015 Start Qty: 2.00 ***2*** Cust Item ID:
 Required Date: 5/25/2015 Req'd Qty: 2.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC8- Inspect parts - second check	0.00							DAS 38 9-89
120						(2)			
QC	Memo	0.00							
Quality Control									MAY 27 2015
130	Small Fab	0.00							
130									
Small Fab	Memo	0.00							
Small Fab	Debur if necessary.	0.00							
	N/A								
140	QC5- Inspect part completeness to step on W/O	0.00							
140									
QC	Memo	0.00							
Quality Control									
	N/A								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="width:15%;">Skid-tube ☐</td> <td style="width:15%;">Cross tube ☐</td> <td style="width:15%;">Water Jet ☐</td> <td style="width:15%;">Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition				Completed By																	
								Lead hand / Supervisor Approval Verification																	
								QC / QA Coordinator Approval																	
Root Cause		FAULT CATEGORY																							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐																			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐																			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐																			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐																			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐																			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐																			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐																			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐																			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐																			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐																			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER : _____																						
Misidentified ☐	☐	Past Due ☐																							

Work Order ID 133052

Monday, May 25, 2015 10:19:43 AM

133052

Page 3

Item ID: D3574-2 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Cabin Floor Protector
Start Date: 5/25/2015 Start Qty: 2.00 ***2*** Cust Item ID:
Required Date: 5/25/2015 Req'd Qty: 2.00 ***2*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	Identify as per dwg & Stock Location: <u>Ship</u>	0.00							
150									
Packaging	Memo	0.00							
Packaging									
160	QC21- Final Inspection - Work Order Release	0.00							
160									
QC	Memo	0.00							
Quality Control									

umf 15-5-27

MLJ

MAY 27, 2015

umf 15-5-27

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation		Disposition			

Root Cause				FAULT CATEGORY			
☐ Environment	☐ Design	☐ Doc/Data	☐ Equip/Tooling	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong
☐ Handling/Pre	☐ Material	☐ Internal Transport	☐ Tribal Knowledge	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions
☐ LOA	☐ Substation	☐ Past Expiry Date	☐ Misidentified	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance
☐ No Re-verification	☐ Operator	☐ Offset/Setup	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect
☐ Training	☐ Use for Testing	☐ Poor Information	☐ Rushing	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing
☐ Product Improvement	☐ Process Improvement	☐ Manufacturing Process	☐ Past Due	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved
☐ OTHER :				☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing
☐ Heat Treat	☐ Wave/Twist in Tube	☐ Marks/Chatter	☐ Drill Holes	☐ Cut Too Short	☐ Instructions Incomplete/Unclear	☐ Misaligned/off center	☐ Finish
☐ Misread	☐ Turning Sequence						

Picklist Print

Monday, May 25, 2015 10:19:47 AM

Page 1

Work Order ID: 133052

133052

Parent Item: D3574-2

D3574-2

Parent Item Name: Cabin Floor Protector

Start Date: 5/25/2015

Required Date: 5/25/2015

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev :A New Issue 07-01-22 EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

MLEXS.125-F60029-04

Purchased

No

sf

2,320.134

51

MI FXS 125-F60029-04

05/25/2015

GE PLASTICS LEXAN SHEET

Location

Loc Qty

Loc Code

MAT

1949

m131705

1949

44

MAT019

371.1344

m129759

53.3334

m130209

317.801

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

DART AEROSPACE LTD		Work Order: 133052
Description: Cabin Floor Protector		Part Number: D3574-2
Inspection Dwg: D3574 Rev: B		Page 1 of 2

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø3.00	+0.006/-0.001	Ø 3.001	/		V=01-02	
7.37	+/-0.030	7.37	/		Tape	
10.75	+/-0.030	10.75	/			
11.00	+/-0.030	11.00	/			
15.25	+/-0.030	15.25	/			
25.87	+/-0.030	25.87	/			
39.75	+/-0.030	39.75	/			
44.75	+/-0.030	44.75	/			
53.51	+/-0.030	53.51	/			
63.50	+/-0.030	63.50	/			
65.25	+/-0.030	65.25	/			
10.75	+/-0.030	10.75	/			
11.00	+/-0.030	11.00	/			
14.75	+/-0.030	14.75	/			
25.50	+/-0.030	25.50	/			
25.75	+/-0.030	25.75	/			
26.00	+/-0.030	26.00	/			
32.87	+/-0.030	32.87	/			
38.81	+/-0.030	38.81	/			
45.00	+/-0.030	45.00	/			
48.25	+/-0.030	48.25	/			
58.38	+/-0.030	58.38	/			
61.25	+/-0.030	61.25	/			
64.13	+/-0.030	64.13	/			
64.63	+/-0.030	64.63	/			
66.50	+/-0.030	66.50	/			
7.50	+/-0.030	7.50	/			
9.50	+/-0.030	9.50	/			
10.38	+/-0.030	10.38	/			
10.88	+/-0.030	10.88	/			
14.50	+/-0.030	14.50	/			
16.56	+/-0.030	16.56	/			
18.75	+/-0.030	18.75	/			
24.13	+/-0.030	24.13	/			

DART AEROSPACE LTD		Work Order: 133052
Description: Cabin Floor Protector		Part Number: D3574-2
Inspection Dwg: D3574 Rev: B		Page 2 of 2


FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
26.50	+/-0.030	26.50	/			
30.50	+/-0.030	30.50	/			
33.88	+/-0.030	33.88	/			
39.50	+/-0.030	39.50	/			
40.25	+/-0.030	40.25	/			
43.50	+/-0.030	43.50	/			
46.60	+/-0.030	46.60	/			
7.63	+/-0.030	7.63	/			
11.00	+/-0.030	11.00	/			
11.50	+/-0.030	11.50	/			
16.75	+/-0.030	16.75	/			
19.00	+/-0.030	19.00	/			
22.50	+/-0.030	22.50	/			
30.75	+/-0.030	30.75	/			
32.63	+/-0.030	32.63	/			
32.75	+/-0.030	32.75	/			
35.13	+/-0.030	35.13	/			
36.50	+/-0.030	36.50	/			
40.00	+/-0.030	40.00	/			
41.88	+/-0.030	41.88	/			
43.63	+/-0.030	43.63	/			
0.125	+/-0.010	0.128	/			

Measured by: DC	Audited by: 38	Prototype Approval:	N/A
Date: 15/05/26	Date: MAY 27 2015	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	08.02.28	New Issue	KJ/DD	
B	08.07.31	47.75 dimension removed	KJ/DD	
C	09.05.15	Dimensions updated per Dwg Rev B	KJ	



D3574-1 CABIN FLOOR PROTECTOR

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP, (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3574-1" AND B/N USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 7) WEIGHT: 14.30 lbs
- 8) CHECK PER TEMPLATE DT8961

UNCONTROLLED COPY
SUBJECT TO APPROVAL
WORK UNDER
NO. 133052 MCG

15-05-25

RELEASED
09/03/07


B	ADD CUT-OUT TO -1/4" FOR WEIGHT AND BALANCE DATA PLATE ZN 87-1, BB-5; -2 NOW SHOWN ON SHEET 2	09.03.25
A	NEW ISSUE	07.06.08
REV.	DESCRIPTION	BY DATE
DESIGN		
DRAWN		
CHECKED		
MFG. APPR.		
APPROVED		
DE APPR.		
DATE	09.03.25	


DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D3574** REV. B
SHEET 1 OF 6

TITLE **CABIN FLOOR PROTECTOR** SCALE NTS

COPYRIGHT © 2007 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.






D3574-3 CABIN FLOOR PROTECTOR


NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP, (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3574-3" AND B/N USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 7) WEIGHT: 14.33 lbs
- 8) CHECK PER TEMPLATE DT8962




RELEASED
09/03/25

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3574	SHEET 3 OF 6
APPROVED		TITLE	SCALE
DE APPR.		CABIN FLOOR PROTECTOR	NTS
DATE	09.03.25	COPYRIGHT © 2007 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS COVENANT THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMERCE TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			



0.125
REF




D3574-4 CABIN FLOOR PROTECTOR

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP, (REF DART SPEC MLEXX.125-F60029-04)
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3574-4" AND B/N USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 7) WEIGHT: 14.18 lbs
- 8) CHECK PER TEMPLATE DT8963

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3574	SHEET 4 OF 6
APPROVED		TITLE	SCALE
DE APPR.		CABIN FLOOR PROTECTOR	NTS
DATE	09.03.25	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
08/27/11



D3574-5 CABIN FLOOR PROTECTOR

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP, (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3574-5" AND B/N USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 7) WEIGHT: 14.38 lbs
- 8) CHECK PER TEMPLATE DT8964

RELEASED
01/04/07

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3574	SHEET 5 OF 6
APPROVED		TITLE	SCALE
DE APPR.		CABIN FLOOR PROTECTOR	NTS
DATE	09.03.25	COPYRIGHT © 2007 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

